

KAP IV-YF-05033

2020 12 03

A/0



(LCA) ()

(1)


(2)

()

(3)

(4)







1

		4.64	t
		0.28	t
		0.18	t
		1.38×10^4	kWh
		287.67	m ³
		0.12	MJ
		0.41	kg
		10.06	m ³
		0.50	t
		0.10	t
		1.61	kg
		6.36	kg
		20.03	kg
		6.00	kg
		2.78	kg
		0.29	kg
		2.90×10^{-2}	kg
		90.06	g
		5.24	g
		7.32	g
		2.32	t
		14.69	kg

2

		1.18	t
		319	kWh
		100	m ³
		0.88	m ³
		6.00	kg
		0.64	kg
		0.19	kg
		4.25×10^{-2}	kg
		3.66×10^{-3}	g
		2.32×10^{-4}	kg
		2.53×10^{-3}	kg

3

		0.526	t
		0.046	t
		0.526	t
		1.84	L
		59.95	kWh
		85.9	m ³
		0.52	t
		0.12	kg

4

		4.64	t
		0.28	t
		0.18	t
		1.18	t
		387.95	kWh
		473.57	m ³
		0.12	MJ
		0.41	kg
		10.94	m ³
		0.50	t
		0.10	t
		3.45	kg
		6.36	kg
		20.03	kg
		0.52	t
		6.00	kg
		3.54	kg
		0.29	kg
		2.90×10 ⁻²	kg
		90.06	g
		6.00	kg
		4.25×10 ⁻²	kg
		0.19	kg
		5.24	g
		7.32	g
		2.32×10 ⁻⁴	kg
		2.53×10 ⁻³	kg
		2.32	t
		14.69	kg



4.1

4.2

()

4.3